All New GWM H7 HEV 2WD
Service Schedule



Months or Mileage * 1,000km		12 10	24 25	36 40	48 55	60 70	72 85	84 100	96 115	108 130	120 145
Engine oil *		R	R	R	R	R	R	R	R	R	R
Washer - Drain plug of oil pan *		R	R	R	R	R	R	R	R	R	R
Engine oil filter *		R	R	R	R	R	R	R	R	R	R
Throttle Valve and Intercooler	Standard Service	I	I	I	I	I	I	I	I	I	I
	Severe use / When required	Clean if excessive carbon deposit is found									
Spark Plugs					R				R		
Transmission Oil and Filter*		First replace at 48Mths or 55,000km, then every 48Mths or 60,000km, whichever comes first.									
Engine Air Filter *			R		R		R		R		R
Air Conditioner Filter *			R		R		R		R		R
Canister Filter Clean *				C			C			C	
Engine Coolant *		First replace at 48Mths or 55,000km, then every 48Mths or 60,000km, whichever comes first.									
EV System Coolant *		First replace at 60Mths or 70,000km, then every 60Mths or 75,000km, whichever comes first.									
Brake Fluid *				R			R			R	
Radiator (appearance)		I	I	I	I	I	I	I	I	I	I
Intercooler (appearance)		I	I	I	I	I	I	I	I	I	I
High temperature overflow tank level		I	I	I	I	I	I	I	I	I	I
Low temperature overflow tank level		I	I	I	I	I	I	I	I	I	I
Battery		I	I	I	I	I	I	I	I	I	I
Sunroof		I	I	I	I	I	I	I	I	I	I
Sunroof drain		I	I	I	I	I	I	I	I	I	I
Detailed EV Inspection *	EV Battery Bolts between pack and chassis		I		I		I		I		I
	EV battery pack(appearance)		I		I		I		I		I
	EV Battery pack high/low voltage connector		I		I		I		I		I
	EV Battery status parameters (SOC/temperature/cell voltage/Pack insulation resistance)		I		I		I		I		I
	High-voltage wiring harness		I		I		I		I		I
Tension of important fasteners		I									
Disc brake front and rear		I	I	I	I	I	I	I	I	I	I
Tyre pressure and wear		I	I	I	I	I	I	I	I	I	I
Visual Inspection Four-wheel alignment		I	I	I	I	I	I	I	I	I	I
Ball joint and dust cover		I	I	I	I	I	I	I	I	I	I
Sign of oils / fluid leakage		I	I	I	I	I	I	I	I	I	I
Lights and warning device operation		I	I	I	I	I	I	I	I	I	I
Parking brake operation		I	I	I	I	I	I	I	I	I	I
Door handle		I	I	I	I	I	I	I	I	I	I
Vehicle body condition		I	I	I	I	I	I	I	I	I	I
Recall / Service Campaign check		I	I	I	I	I	I	I	I	I	I
Road test quality control		I	I	I	I	I	I	I	I	I	I

I = Inspect, C = Clean, R = Replace

"*" Denotes items that may need to shorten in interval in the instance of Severe Duty/Driving Conditions.
Service at either Time or Mileage interval, whichever occurs first.

All New GWM H7 HEV AWD

Service Schedule



Months or Mileage * 1,000km		12 10	24 25	36 40	48 55	60 70	72 85	84 100	96 115	108 130	120 145
Engine oil *		R	R	R	R	R	R	R	R	R	R
Washer - Drain plug of oil pan *		R	R	R	R	R	R	R	R	R	R
Engine oil filter *		R	R	R	R	R	R	R	R	R	R
Throttle Valve and Intercooler	Standard Service	I	I	I	I	I	I	I	I	I	I
	Severe use / When required	Clean if excessive carbon deposit is found									
Spark Plugs					R				R		
Transmission Oil and Filter*		First replace at 48Mths or 55,000km, then every 48Mths or 60,000km, whichever comes first.									
Rear Differential Gear Oil		Maintenance free, however replace every 50,000km when driven in severe conditions.									
Engine Air Filter *			R		R		R		R		R
Air Conditioner Filter *			R		R		R		R		R
Canister Filter Clean *				C			C			C	
Engine Coolant *		First replace at 48Mths or 55,000km, then every 48Mths or 60,000km, whichever comes first.									
EV System Coolant *		First replace at 60Mths or 70,000km, then every 60Mths or 75,000km, whichever comes first.									
Brake Fluid *				R			R			R	
Radiator (appearance)		I	I	I	I	I	I	I	I	I	I
Intercooler (appearance)		I	I	I	I	I	I	I	I	I	I
High temperature overflow tank level		I	I	I	I	I	I	I	I	I	I
Low temperature overflow tank level		I	I	I	I	I	I	I	I	I	I
Battery		I	I	I	I	I	I	I	I	I	I
Sunroof		I	I	I	I	I	I	I	I	I	I
Sunroof drain		I	I	I	I	I	I	I	I	I	I
Detailed EV Inspection *	EV Battery Bolts between pack and chassis		I		I		I		I		I
	EV battery pack(appearance)		I		I		I		I		I
	EV Battery pack high/low voltage connector		I		I		I		I		I
	EV Battery status parameters (SOC/temperature/cell voltage/Pack insulation resistance)		I		I		I		I		I
	High-voltage wiring harness		I		I		I		I		I
Tension of important fasteners		I									
Disc brake front and rear		I	I	I	I	I	I	I	I	I	I
Tyre pressure and wear		I	I	I	I	I	I	I	I	I	I
Visual Four-wheel alignment inspection		I	I	I	I	I	I	I	I	I	I
Ball joint and dust cover		I	I	I	I	I	I	I	I	I	I
Sign of oils / fluid leakage		I	I	I	I	I	I	I	I	I	I
Lights and warning device operation		I	I	I	I	I	I	I	I	I	I
Parking brake operation		I	I	I	I	I	I	I	I	I	I
Door handle		I	I	I	I	I	I	I	I	I	I
Vehicle body condition		I	I	I	I	I	I	I	I	I	I
Recall / Service Campaign check		I	I	I	I	I	I	I	I	I	I
Road test quality control		I	I	I	I	I	I	I	I	I	I

I = Inspect, C = Clean, R = Replace

"*" Denotes items that may need to shorten in interval in the instance of Severe Duty/Driving Conditions.

Service at either Time or Mileage interval, whichever occurs first.

All New GWM H7 PHEV AWD

Service Schedule



Months or Mileage * 1,000km		12 10	24 25	36 40	48 55	60 70	72 85	84 100	96 115	108 130	120 145
Engine oil *		R	R	R	R	R	R	R	R	R	R
Washer - Drain plug of oil pan *		R	R	R	R	R	R	R	R	R	R
Engine oil filter *		R	R	R	R	R	R	R	R	R	R
Throttle Valve and Intercooler	Standard Service	I	I	I	I	I	I	I	I	I	I
	Severe use / When required	Clean if excessive carbon deposit is found									
Spark Plugs					R				R		
Transmission Oil and Filter*		First replace at 48Mths or 55,000km, then every 48Mths or 60,000km, whichever comes first.									
Rear Differential Gear Oil		Maintenance free, however replace every 50,000km if vehicle is driven in severe conditions.									
Engine Air Filter *			R		R		R		R		R
Air Conditioner Filter *			R		R		R		R		R
Canister Filter Clean *				C			C			C	
Engine Coolant *		First replace at 48Mths or 55,000km, then every 48Mths or 60,000km, whichever comes first.									
EV System Coolant *		First replace at 60Mths or 70,000km, then every 60Mths or 75,000km, whichever comes first.									
Brake Fluid *				R			R			R	
Radiator (appearance)		I	I	I	I	I	I	I	I	I	I
Intercooler (appearance)		I	I	I	I	I	I	I	I	I	I
High temperature overflow tank level		I	I	I	I	I	I	I	I	I	I
Low temperature overflow tank level		I	I	I	I	I	I	I	I	I	I
Battery		I	I	I	I	I	I	I	I	I	I
Sunroof		I	I	I	I	I	I	I	I	I	I
Sunroof drain		I	I	I	I	I	I	I	I	I	I
Detailed EV Inspection *	EV Battery Bolts between pack and chassis		I		I		I		I		I
	EV battery pack(appearance)		I		I		I		I		I
	EV Battery pack high/low voltage connector		I		I		I		I		I
	EV Battery Parameters (SOC/temperature/cell voltage/Pack insulation resistance)		I		I		I		I		I
	High-voltage wiring harness		I		I		I		I		I
Plug-In Charging Port		I	I	I	I	I	I	I	I	I	I
Electric Drive System Assembly		I	I	I	I	I	I	I	I	I	I
High voltage power supply system		I	I	I	I	I	I	I	I	I	I
Tension of important fasteners		I	I	I	I	I	I	I	I	I	I
Disc brake front and rear		I	I	I	I	I	I	I	I	I	I
Tyre pressure and wear		I	I	I	I	I	I	I	I	I	I
Visual Four-wheel alignment inspection		I	I	I	I	I	I	I	I	I	I
Ball joint and dust cover		I	I	I	I	I	I	I	I	I	I
Sign of oils / fluid leakage		I	I	I	I	I	I	I	I	I	I
Lights and warning device operation		I	I	I	I	I	I	I	I	I	I
Parking brake operation		I	I	I	I	I	I	I	I	I	I
Door handle		I	I	I	I	I	I	I	I	I	I
Vehicle body condition		I	I	I	I	I	I	I	I	I	I
Recall / Service Campaign check		I	I	I	I	I	I	I	I	I	I
Road test quality control		I	I	I	I	I	I	I	I	I	I

I = Inspect, C = Clean, R = Replace

"*" Denotes items that may need to shorten in interval in the instance of Severe Duty/Driving Conditions.
Service at either Time or Mileage interval, whichever occurs first.

GWM Servicing - Severe duty Driving Conditions

As with all vehicles, Severe Duty Driving Conditions requires additional maintenance requirements to ensure your vehicle is running at its best. Conditions may vary depending on the operation of your vehicle, so whilst the below list is a good indicator of Severe or Heavy-Duty Driving conditions, it is always best to refer to you local GWM Authorised Service Location for further assistance and advice.

To find your closest location, please follow this link:

Severe Duty Driving Conditions include but are not limited to:

- Repeated short trips of less than 16km when outside temperatures remain below freezing or normal vehicle operating temperature is not achieved.
- Repeated extensive periods of idling, such as use as a taxi, rideshare, door-to-door delivery, or other uses that include extended periods of idling.
- Operating the vehicle in off-road or dusty conditions, including but not limited to unpaved roads, dusty roads, sandy roads etc.
- Repeatedly towing a trailer or caravan, using the vehicle with a rooftop carrier installed, or carrying maximum vehicle loads.
- Repeated use of “Launch Control” mode in applicable vehicles.
- Hard Driving, such as track use or driving with frequent hard accelerations.

If you find your vehicle meeting one or more of the above conditions, please shorten your service interval, apply any “Severe Duty” Service conditions to your vehicle, and/or, carry out an interim service on your vehicle. Service actions completed as “Severe Duty Driving” are not included in Capped Price Servicing and are at an additional expense to the customer.

You may also find your vehicle is subject to specific “Severe Duty service requirements”. Please refer to your service schedule for more information.

H6GT PHEV

- Replace Rear Electric Drive Axle Oil every 60,000kms if vehicle driven under Severe Duty Conditions.

Diesel Variant Vehicles

- GWM recommends inspection of Throttle Valve and EGR Valve and Cooler every service. Under Severe Duty Conditions GWM recommends these components are cleaned of carbon deposits when required.

GWM would also like to remind drivers that routine checks and vehicle cleaning conducted by the driver/owner are essential to ensuring your vehicle is running at its best.

This includes checking the oil level, the washer fluid level, and ensuring your vehicle is regularly and thoroughly cleaned to avoid any damage to paint and/or to avoid rust when vehicles are operated in and/or reside in “salty” areas such as beachside areas, river areas, etc.

GWM refers the customer to their owner’s handbook for more information about their vehicle, its maintenance and checks they can do to ensure their vehicle is running smoothly.